
SKYLINE SERIES



The intelligent solar lighting solution specially designed for highways, roundabouts and special roads.






Anti-vandalism design

(0 emissions to the atmosphere

Personalized study of needs





KENLOK INTELLIGENT CONTROL UNIT

- Light control algorithm for greater battery autonomy
- Factory custom lighting programming
- Energy resources optimization to maximize the durability of the system
- Voltage and temperature measurement system
- Automatic daylight saving time adjustment
- Total control of streetlight parameters

"ilumek TELEMANAGEMENT SYSTEM

Online platform for the management and monitoring of the solar lamps.



- ✓ Customized system design
- ✓ Private server
- ✓ Warning / alarm system for operational issues
- ✓ Different access levels
- ✓ Data Export to Excel
- ✓ Remote diagnosis

FEATURES



Type LED From 50 W Power 12 - 24 V Rated voltage Efficiency > 120 lm/W 3000 - 4000 - 5700 K Colour temp.

SOLAR PANEL

Type	Monocrystalline / Polycrystalline
Power	From 150 Wp
Lifespan	More than 25 years

BATTERY

Type	VRLA (GEL or AGM)
Capacity	160 - 250 Ah
Discharge capacity	50%
Autonomy	2 - 5 days

COLUMN

Height	9 - 12 meters
Material	Hot dip galvanised steel
Corrosion resistance	> 15 years
Additional protection	Polyester powder coating
Optional treatment	Antigraffiti protection
Wind resistance	120 km/h

HIGH EFFICIENCY LEDS



HIGH RESISTANCE TO THE CORROSION



SMART SOLUTION



MAXIMUM RELIABILITY





Miramon Technology Park Paseo Mikeletegi, 56 20009 · Donostia -San Sebastián info@ekiona.com www.ekiona.com

